

SPECIAL POINTS OF INTEREST

- Working Safely in Cold Weather
- How to Prevent Cold Stress
- How to Protect
 Workers
- Helpful Links
- Frostbite Chart

Timber Times

Partners for Healthy Forests

DECEMBER 2016

Safety Flyer

Hello All,

Logging is dangerous work, and safety has always been a primary focus for CTIA. I hope these monthly safety flyers contribute to your company safety program and to the safety of you and your crews.

Please share this safety flyer with your employees, contractors, or fellow loggers. If you'll send me their email address, we'll add them to our list. Our goal is safety for every logger, trucker, and mill worker in Colorado.

If you find an interesting article or an OSHA related issue, please share with me so I send to our email list or incorporate into a future Safety Flyer.

Molly

The Colorado Timber Industry Association (CTIA) is an association of small, family-owned businesses committed to logging, processing and performing service work in the forests of Colorado. We are exceptional partners to the public and private stewards of our valuable and beautiful forests. We embrace Best Management Practices (BMPs) and sustainable forestry. To meet these values, we host annual continuing education classes on BMPs and conduct field audits to demonstrate our accountability to high quality, active management designed to promote long term forest health.

Working Safely in Cold Weather

Anyone working in a cold environment may be at risk of cold stress. Some workers may be required to work outdoors in cold environments and for extended periods, for example, snow cleanup crews, sanitation workers, police officers and emergency response and recovery personnel, like firefighters, and emergency medical technicians. Cold stress



can be encountered in these types of work environment. The following frequently asked questions will help workers understand what cold stress is, how it may affect their health and safety, and how it can be prevented.

How cold is too cold?

What constitutes extreme cold and its effects can vary across different areas of the country. In regions that are not used to winter weather, near freezing temperatures are considered "extreme cold." A cold environment forces the body to work harder to maintain its temperature. Whenever temperatures drop below normal and wind speed increases, heat can leave your body more rapidly.

Wind chill is the temperature your body feels when air temperature and wind speed are combined. For example, when the air temperature is 40°F, and the wind speed is 35 mph, the effect on the exposed skin is as if the air temperature was 28°F.

Cold stress occurs by driving down the skin temperature and eventually the internal body temperature (core temperature). This may lead to serious health problems, and may cause tissue damage, and possibly death.

What are the risk factors that contribute to cold stress?

Some of the risk factors that contribute to cold stress are:

- Wetness/dampness, dressing improperly, and exhaustion
- Predisposing health conditions such as hypertension, hypothyroidism, and diabetes
- Poor physical conditioning

Working Safely in Cold Weather (cont'd)

How does the body react to cold conditions?

In a cold environment, most of the body's energy is used to keep the internal core temperature warm. Over time, the body will begin to shift blood flow from the extremities (hands, feet, arms, and legs) and outer skin to the core (chest and

abdomen). This shift allows the exposed skin and the extremities to cool rapidly

- and increases the risk of frostbite and hypothermia. Combine this scenario with

exposure to a wet environment, and trench foot may also be a problem.

What are the most common cold induced illnesses/injuries?

- Hypothermia
- Frostbite
- Trench Foot

What is hypothermia?

<u>Hypothermia</u> occurs when body heat is lost faster than it can be replaced and the

normal body temperature (98.6°F) drops to less than 95°F. Hypothermia is most

likely at very cold temperatures, but it can occur even at cool temperatures

(above 40°F), if a person becomes chilled from rain, sweat, or submersion in cold water.

What are the symptoms of hypothermia?

Mild symptoms:

- An exposed worker is alert.
- He or she may begin to shiver and stomp the feet in order to generate heat.
- Moderate to Severe symptoms:
- As the body temperature continues to fall, symptoms will worsen and shivering will stop.
- The worker may lose coordination and fumble with items in the hand,
- become confused and
- disoriented.
- He or she may be unable to
- walk or stand, pupils become
- dilated, pulse and breathing
- become slowed, and loss of
- consciousness can occur. A
- person could die if help is not
- received immediately.



Working Safely in Cold Weather (cont'd)

What can be done for a person suffering from hypothermia?

- Call 911 immediately in an emergency; otherwise seek medical assistance as soon as possible.
- Move the person to a warm, dry area.
- Remove wet clothes and replace with dry clothes, cover the body (including the head and neck) with layers of blankets; and with a vapor barrier (e.g. tarp, garbage bag). Do **not** cover the face.
- If medical help is more than 30 minutes away:
 - Give warm sweetened drinks if alert (no alcohol), to help increase the body temperature. Never try to give a drink to an unconscious person.
 - Place warm bottles or hot packs in armpits, sides of chest, and groin. Call 911 for additional rewarming instructions.
- If a person is not breathing or has no pulse:
 - Call 911 for emergency medical assistance immediately.
 - Treat the worker as per instructions for hypothermia, but be very careful and do not try to give an unconscious person fluids.
 - Check him/her for signs of breathing and for a pulse. Check for 60 seconds.
 - If after 60 seconds the affected worker is not breathing and does not have a pulse, trained workers may start rescue breaths for 3 minutes.
 - Recheck for breathing and pulse, check for 60 seconds.
 - If the worker is still not breathing and has no pulse, continue rescue breathing.
 - Only start chest compressions per the direction of the 911 operator or emergency medical services*
 - Reassess patient's physical status periodically.

*Chest compression are recommended only if the patient will not receive medical care within 3 hours.







Working Safely in Cold Weather (cont'd)

What is immersion/trench foot?

Trench Foot or immersion foot is caused by prolonged exposure to wet and cold temperatures. It can occur at temperatures as high as 60°F if the feet are constantly wet. Non-freezing injury occurs because wet feet lose heat 25-times faster than dry feet. To prevent heat loss, the body constricts the blood vessels to shut down circulation in the feet. The skin tissue begins to die because of a lack of oxygen and nutrients and due to the buildup of toxic products.

What are the symptoms of trench foot?

• Redness of the skin, swelling, numbness, blisters

What can be done for a person suffering from immersion foot?

- Call 911 immediately in an emergency; otherwise seek medical assistance as soon as possible.
- Remove the shoes, or boots, and wet socks.
- Dry the feet.





How to Prevent Cold Stress

How can cold stress be prevented?

Although OSHA does not have a specific standard that covers working in cold environments, employers have a responsibility to provide workers with employment and a place of employment which are free from recognized hazards, including cold stress, which are causing or are likely to cause death or serious physical harm to them (Section 5(a)(1) of the Occupational Safety and Health Act of 1970). Employers should, therefore, train workers on the hazards of the job and



safety measures to use, such as engineering controls and safe work practices that will protect workers' safety and health.

<u>Employers should train workers</u> on how to prevent and recognize cold stress illnesses and injuries and how to apply first aid treatment. Workers should be trained on the appropriate engineering controls, personal protective equipment and work practices to reduce the risk of cold stress.

Employers should provide engineering controls. For example, radiant heaters may be used to warm workers in outdoor security stations. If possible, shield work areas from drafts or wind to reduce wind chill.

Employers should use safe work practices. For example, it is easy to become dehydrated in cold weather. Employers therefore, can provide plenty of warm sweetened liquids to workers. Avoid alcoholic drinks. If possible, employers can schedule heavy work during the warmer part of the day. Employers can assign workers to tasks in pairs (buddy system), so that they can monitor each other for signs of cold stress. Workers can be allowed to interrupt their work, if they are extremely uncomfortable. Employers should give workers frequent breaks in warm areas. Acclimatize new workers and those returning after time away from work, by gradually increasing their workload, and allowing more frequent breaks in warm areas, as they build up a tolerance for working in the cold environment. Safety measures, such as these, should be incorporated into the relevant health and safety plan for the workplace.

How to Prevent Cold Stress (cont'd)

<u>Dressing properly</u> is extremely important to preventing cold stress. The type of fabric worn also makes a difference. Cotton loses its insulation value when it becomes wet. Wool, silk and most synthetics, on the other hand, retain their insulation even when wet. The following are recommendations for working in cold environments:

- Wear at least three layers of loose fitting clothing. Layering provides better insulation. Do not wear tight fitting clothing.
 - An inner layer of wool, silk or synthetic to keep moisture away from the body.
 - A middle layer of wool or synthetic to provide insulation even when wet.
 - An outer wind and rain protection layer that allows some ventilation to prevent overheating.
- Wear a hat or hood to help keep your whole body warmer. Hats reduce the amount of body heat that escapes from your head.
- Use a knit mask to cover the face and mouth (if needed).
- Use insulated gloves to protect the hands (water resistant if necessary).
- Wear insulated and waterproof boots (or other footwear).

How To Protect Workers

- Learn the signs and symptoms of cold-induced illnesses and injuries and what to do to help workers.
- Train workers about cold-induced illnesses and injuries.
- Encourage workers to wear proper clothing for cold, wet and windy conditions, including layers that can be adjusted to changing conditions.
- Be sure workers in extreme conditions take a frequent short break in warm dry shelters to allow their bodies to warm up.
- Try to schedule work for the warmest part of the day.
- Avoid exhaustion or fatigue because energy is needed to keep muscles warm.
- Use a buddy system work in pairs so one worker can recognize danger signs.
- Drink warm, sweet beverages (sugar water, sports-type drinks) and avoid drinks with caffeine (coffee, tea, sodas or hot chocolate) or alcohol.
- Eat warm, high-calorie foods such as hot pasta dishes.
- Remember, workers face increased risks when they take certain medications, are in poor physical condition or suffer from illnesses such as diabetes, hypertension or cardiovascular disease.

Helpful Links

https://www.osha.gov/SLTC/emergencypreparedness/guides/cold.html

https://www.osha.gov/dts/weather/winter_weather/windchill.html

https://www.youtube.com/watch?v=dEKaCOx7igI

http://www.webmd.com/a-to-z-guides/what-is-hypothermia#1

https://www.youtube.com/watch?v=kZ85WHTIAl4

How long will it take to get frostbite on exposed skin?

Wind Chill Eactor

| Wind Speed (mph) | Actual Air Temperature °F | | | | | | | | |
|------------------------|---------------------------|-----|-----|-----|-----|------|------|------|------|
| | 40° | 30° | 20° | 10° | 0.0 | -10° | -20* | -30° | -40° |
| 10 | 34 | 21 | 9 | -4 | -16 | -28 | -41 | -53 | -66 |
| 20 | 30 | 17 | 4 | -9 | -22 | -35 | -48 | -61 | -74 |
| 30 | 28 | 15 | 1 | -12 | -26 | -39 | - 53 | -67 | -80 |
| 40 | 27 | 13 | -1 | -15 | -29 | -43 | -57 | -71 | -84 |
| 50 | 26 | 12 | -3 | -17 | -31 | -45 | -60 | -74 | -88 |
| 60 | 25 | 10 | -4 | -19 | -33 | -48 | -62 | -76 | -91 |

30 minutes 10 minutes 5 minutes



